

**GT**  
*Line*

TECHNICAL CASES



AN ITALIAN  
COMPANY

EN 16-1

[www.gtline.com](http://www.gtline.com)



GT Line was established in Bologna in 1970 and specialized from the beginning in the production of technical cases.

In a few years since its foundation, GT Line has become the leader in this field as well as the company offering the widest choice of products in the whole Europe.

Over 40 years of experience and the UNI EN ISO 9001:2008 certified production process are the best guarantees of the quality of professional tool cases, waterproof cases and computer cases that are designed and built in our factories with advanced technologies and selected materials.



GT Line is a world-leader in the field of technical and professional cases because of its entrepreneurial spirit, technological research, precision manufacturing, quality control and the continuous upgrading of its resources.

GT Line has a firm hold on the European market thanks to its network of distributors and agents that operates in the hardware, tool, electrical and thermo-hydraulic fields.

Moreover, GT Line operates worldwide thanks to a well-consolidated network of partner distributors.





Technical, industrial and professional tool cases, manufactured with different materials.





Virtually indestructible, durable, protective waterproof cases for extreme applications.



Tool bags, tool backpacks, accessories, tool jackets ideal for PROS and DIYers.



Computers, photo, multimedia and portable electronics carrying cases and bags.



COMPANY



To cope with an ever increasingly competitive market, GT Line also continuously expands its knowledge and technical skills, by looking for new materials to improve the basic requirements of technical cases (robustness, lightweight, and practicalness) like aluminium, ABS, polyethylene, polypropylene, carbon fibre, etc. GT Line does not neglect the importance of aesthetic, cares of details and always offers new solutions to distinguish its cases also for the elegance of the Made in Italy design.




GT Line owes its success to the continuous investments in research, product development and innovation in general.

In the GT Line's management vision, these are the only viable chances of competing on the global market.


In line with that, constant effort is dedicated to the development of new materials as well as the evolution of production procedures, to make our cases always up to the expectations of the most demanding maintenance professionals.



# PRODUCTION







Tool trolley with drawers specifically engineered for the professionals. Comes in a sturdy injection molded body made in copolymer polypropylene, able to withstand shocks, rough usage and harsh weather conditions. The upper compartment closed by the top lid, contains a removable tray for spare hand tools placed on top of a recessed area, where 5 small component boxes or a laptop computer can be stored. The lower compartment, protected by a collapsible front door, can accommodate 3 to 8 drawers of variable height (H 30-60-95 mm.) with a variety of optional inner configurations such as pre-cubed bicolor foam layers, bin boxes for small components, and even specifically designed tool pallets. All drawers, while completely accessible when open, are provided with a self restrain stop to prevent the accidental falling out. A central single key lock, as well as a metal reinforced padlock hole, grants the possibility to secure completely all compartments with one single key. A number of optional accessories such as lid tool pallets, pivoting wheels set, and extra drawers are available.

General features:

- telescopic handle and 4 robust and silent self-oiling wheels
- unique "stop-in-open-position" drawers system
- removable tray in the upper compartment
- 2 sides handles and central lock with key
- I.D. removable label and label for content identification
- various padlockable points
- 2 jam free top lid latches and 2 front main door latches

### AI1


- upper removable tray
- 2 H30 mm. comp. boxes mod. WLO1 (6 comp. each)
- 2 H30 mm. comp. boxes mod. WLO2 (13 comp. each)
- 1 H30 mm. comp. box mod. WLO4 (10 comp. each)

### AILEGS

Optional foldable aluminum legs kit, to convert the tool chest into a practical workstation.




ALL-IN-ONE



### AI1.KT01

- upper removable tray
- a 30 mm. high drawer provided with inner precubed foam with double color feature
- a 60 mm. high drawer provided with 23 adjustable spaces for components (4 pcs. of 3x5 bin boxes with dividers + 3 pcs. of 2x1)
- a 60 mm. high drawer provided with inner precubed foam 30 mm. high with double color feature
- a 95 mm. high drawer provided with:
  - 2 height 30 mm. component boxes mod. WL01 (6 comp. each)
  - 2 height 30 mm. component boxes mod. WL02 (13 comp. each)
  - 1 height 30 mm. component box mod. WL04 (10 comp. each)



60 mm. high drawer with 23 adjustable spaces for components



### AI1.KT02

- upper removable tray
- a 30 mm. high drawer empty
- two 60 mm. high drawers empty
- a 95 mm. high drawer provided with:
  - 2 height 30 mm. component boxes mod. WL01 (6 comp. each)
  - 2 height 30 mm. component boxes mod. WL02 (13 comp. each)
  - 1 height 30 mm. component box mod. WL04 (10 comp. each)





- the front main door can be opened up to 180°.







PSS tool pallets available in three different heights (low, medium and high) can be placed inside the drawers.




AIPANEL AIPAD: Lid tool pallet with pouch for IPAD and PSS tool storage.

IPAD and tools are stored on the back side of the lid pallet.



AIPANEL PLEXI: Transparent lid cover. Useful for foam inserts or readable instructions.



**EXTERNAL DIMENSIONS (mm)**


Model	A	B	C	
AI1	581	381	455	10,10
AI1.KT01	581	381	455	14,10
AI1.KT02	581	381	455	13,35




AIPANEL: lid tool pallets available in three different configurations: PEL with stitched elastics, PTS with pouches, PFR with elastic strips. All pallets are removable and easy to be fixed at the lid with special metal supports.




AIPANEL PEL



AIPANEL PTS




AIPANEL PFR



- tools stored on the back side of the lid pallet



- tools stored on the back side of the lid pallet



- tools stored on the front side of the lid pallet


AIDRAW: shock proof polypropylene drawers available in 3 different heights: 30, 60 and 95 mm. Specifically designed to contain all kinds of components and accessories, can be easily inserted into the toolchest. Available in three different configurations: completely empty (.E), with a bicolor pre-cubed foam (.F) or with bin boxes for small components and accessories (.B1) see table below.



AIDRAW3.E



AIDRAW6.F




AIDRAW9.B1

AIBOX: a transparent removable lid, converts the AIDRAW into a practical shock proof polypropylene organizer. Available in three heights and three internal configurations like AIDRAW (see table below).



AIBOX6.E



AIBOX9.E



AIBOX6.F





AIBOX6.B1

AIDRAW AND AIBOX ORGANIZERS TABLE			
MODEL	INTERNAL CONFIGURATION	Ht. DIM. (mm)	MASTER PACK
AIDRAW3.E	EMPTY	467x255xH30	1 pc
AIBOX3.E			6 pcs
AIDRAW3.F	BICOLORED PRE-CUBED FOAM	467x255xH30	1 pc
AIBOX3.F			6 pcs
AIDRAW6.B1	REMOVABLE BIN BOXES	467x255xH60	1 pc
AIBOX6.B1			3 pcs
AIDRAW6.E	EMPTY	467x255xH60	1 pc
AIBOX6.E			3 pcs
AIDRAW6.F	BICOLORED PRE-CUBED FOAM	467x255xH60	1 pc
AIBOX6.F			3 pcs
AIDRAW9.B1	REMOVABLE BIN BOXES	467x255xH95	1 pc
AIBOX9.B1			3 pcs
AIDRAW9.E	EMPTY	467x255xH95	1 pc
AIBOX9.E			3 pcs
AIDRAW9.F	BICOLORED PRE-CUBED FOAM	467x255xH95	1 pc
AIBOX9.F			3 pcs

### AIDRAW POSSIBLE CONFIGURATIONS

8 x H30 mm	6 x H30 + 1 x H60 mm	4 x H30 + 2 x H60 mm	2 x H30 + 3 x H60 mm	4 x H60 mm
5 x H30 + 1 x H95 mm	2 x H30 + 2 x H95 mm	1 x H60 + 2 x H95 mm	1x H30+2x H60+1x H95mm	3x H30+1x H60+1x H95mm



Indestructible tool case made entirely of HDPE resin, a real shield against accidental shocks. Special extra thick aluminium trim for tight closure. High capacity case with reinforced corners, ideal for air travelling engineers that carry both tools, spare parts and components. Resistant to the airport handling.

General features:

- ergonomic handle, rubber coated grip
- telescopic handle and large wheels provided with ball bearings
- large base area for tools, power tools, accessories and spare parts
- two metal lid safety support stays



- Steel piano hinge, resistant and reliable, riveted in several points to grant high resistance in case of frequent openings



- Large base area for tools, power tools, accessories and spare parts



- TSA accepted lock



- Ability to stack



## ROCK TURTLE PEL

- 1 document wallet
- 1 lid tool pallet with elastics on both sides and a practical large pocket with closing flap
- 1 bottom pallet with elastics on one side
- 2 metal TSA locks with keys
- 2 small component boxes





- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)

## ROCK TURTLE PTS

- 1 document wallet
- 1 lid tool pallet with pouches on both sides and a practical large pocket with closing flap
- 1 bottom pallet with pouches on one side
- 2 metal TSA locks with keys
- 2 small component boxes




- PSS™ - Patented Professional Storage System (for more details see page 46)

## ROCK TURTLE PSS

- 1 document wallet
- 1 lid tool pallet with with PSS™ system on one side
- 1 middle tool pallet with PSS™ system on both sides
- 1 bottom pallet with PSS™ system on one side
- 2 metal TSA locks with keys
- 2 small component boxes




- Art. FOAM ROCK: Available on demand as accessory, the bottom area can be equipped with pre cubed foam layers for tester or measuring equipment storage.



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	📦
ROCK TURTLE PEL	470	390	290/320	110	180/210	8,7
ROCK TURTLE PTS	470	390	290/320	110	180/210	9,0
ROCK TURTLE PSS	470	390	290/320	110	180/210	9,4



The double wall construction technique and the body in shock-proof high density polyethylene, with great resistance to high and low temperatures and to most of the corrosive chemical substances, grant to this case the highest level of reliability on the market. Air transportation handling resistant. The TSA locks allow the case to be checked at the airport by security officers.

General features:

- roto moulded polyethylene shell with incorporated feet
- 2 metal lid safety support stays
- wheels provided with ball bearings and telescopic handle
- bottom area with adjustable dividers
- ergonomic handle, rubber coated grip



- Double wall construction technique



- Ability to stack



- TSA accepted lock




- Bottom area with adjustable dividers



## NM WHEELS PEL

- document area
- 2 tool pallets with elastics
- 2 TSA locks with keys
- bottom area with adjustable dividers
- 2 small component boxes





- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)

## NM WHEELS PTS


- document area
- 2 tool pallets with FLEXI POUCHES™
- 2 TSA locks with keys
- bottom area with adjustable dividers
- 2 small component boxes



- PSS™ - Patented Professional Storage System (for more details see page 46)


## NM WHEELS PSS

- document area
- 2 tool pallets with PSS™ system
- 2 TSA locks with keys
- bottom area with adjustable dividers
- 2 small component boxes



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
NEW MEGA WHEELS PEL	453	345	185	75	110	7,5
NEW MEGA WHEELS PTS	453	345	185	75	110	8
NEW MEGA WHEELS PSS	453	345	185	75	110	8



Modern and exceptionally strong, this case is studied to resist even in the most extreme use conditions.

The double wall construction and the body in shock-proof high density Polyethylene, with great resistance to high and low temperatures and to most of the corrosive chemical substances, grant to this product the highest levels of reliability on the market. The TSA locks allow the case to be checked at the airport by security officers.

General features:

- roto moulded Polyethylene shells with incorporated feet
- 2 metal lid support stays with safety spring pawl and doublefixing point
- steel hinge riveted in various points
- ergonomic handle, rubber coated grip



- Bottom with adjustable dividers



- TSA accepted lock



- Double wall construction technique



- Steel hinge riveted in various points for maximum resistance even in case of intensive use

BOMBER



- Stitched elastic bands (for more details see page 46)

## BOMBER 170 PEL

- document wallet
- 2 tool pallets with elastic bands
- 2 TSA locks with keys
- bottom with adjustable dividers
- 2 small component boxes





- FLEXI POUCHES™  
- Patented Tool Fixing System (for more details see page 46)

## BOMBER 170 PTS

- document wallet
- 2 tool pallets with FLEXI POUCHES™
- 2 TSA locks with keys
- bottom with adjustable dividers
- 2 small component boxes



- PSS™ - Patented Professional Storage System (for more details see page 46)



## BOMBER 170 PSS

- document wallet
- 2 tool pallets with PSS™ system
- 2 TSA locks with keys
- bottom with adjustable dividers
- 2 small component boxes



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	G
BOMBER 170 PEL	422	327	185	75	110	5,0
BOMBER 170 PTS	422	327	185	75	110	5,5
BOMBER 170 PSS	422	327	185	75	110	5,5



**NEW**

Indestructible tool case made entirely of HDPE resin, a real shield against accidental shocks. High capacity case, ideal for air travelling engineers that carry tools, spare parts and components.

General features:

- document wallet
- 2 metal TSA locks with keys
- ergonomic handle, rubber coated grip
- telescopic handle
- 4 detachable pivoting wheels
- stackability
- can accommodate a third optional tool pallet
- 2 small component boxes
- address label



### PIVOT PEL

- 2 tool pallets with elastics



- 4 pivoting wheels for easy transportation



- Practical, elastic, removable net in the bottom for tools and accessories.




- 4 easily detachable wheels by pressing the buttons

PIVOT



### PIVOT PTS


- 2 tool pallets with pouches



INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	Icon
PIVOT PEL	433	330	230/257	110	120/147	7,2
PIVOT PTS	433	330	230/257	110	120/147	7,3





Double wall construction HDPE box, studied to resist even in the most extreme use conditions. Great resistance to high and low temperatures and to most of the corrosive chemical substances.

General features:

- ergonomic handle
- adjustable, removable shoulder strap
- extractable tray (only FORCE BOX 18)
- metal padlockable latches
- easy to clean internal surface
- internal removable dividers



### FORCE BOX 18


- Extractable tray



- Double wall construction technique



### FORCE BOX 21




- metal padlockable latches

FORCE BOX

#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
FORCE BOX 18	460	180	220	200	20	4,0
FORCE BOX 21	535	180	220	200	20	4,5



Technologically advanced, injection moulded, high thickness Polypropylene tool case. This material makes the case extremely resistant against chemical corrosion, shock, high and low temperature.

The injection technique ensures constant material thickness, even in the corners. Large and thick aluminium trim, makes the case ideal for daily, heavy duty use.

The case can accommodate up to 3 tool pallets.

General features:

- 2 metal lid safety support stays
- 2 metal locks with keys
- 3 metal hinges for maximum strength
- ergonomic handle, rubber coated grip
- address label



- Bottom area has removable dividers fixed directly on the shell body with no need of additional tray.



- Address label



## ATOMIK215 PEL ATOMIK/R PEL (red)

- 1 lid tool pallet with elastics on both sides
- 1 bottom tool pallet with elastics on one side
- document area
- bottom area with removable dividers



- Stitched elastic bands (for more details see page 46)

FRONT



BACK



Additional tool pallet (art. PAN ATOMIK) available as accessory upon request. Front with PSS system, back with elastics (only for PEL and PTS models).






- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)

## ATOMIK215 PTS

- 1 lid tool pallet with FLEXI POUCHES™ on both sides
- 1 bottom tool pallet with FLEXI POUCHES™ on one side
- document area
- bottom area with removable dividers



- Art. FOAM ATOMIK: Available on demand as accessory, removing the dividers, this bottom area can be equipped with pre cubed foam layers for tester or measuring equipment storage.



- PSS™ - Patented Professional Storage System (for more details see page 46)



## ATOMIK215 PSS

- 1 lid tool pallet with PSS™ system on both sides
- 1 bottom tool pallet with PSS™ system on one side
- document area
- bottom area with removable dividers

### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	📦
ATOMIK215 PEL	465	352	215	95	120	5,2
ATOMIK215 PTS	465	352	215	95	120	5,2
ATOMIK215 PSS	465	352	215	95	120	5,8
ATOMIK/R PEL (red color)	465	352	215	95	120	5,2





Technologically advanced, injection moulded, high thickness Polypropylene tool case on wheels, fitted so that the travelling position is with horizontal case. The case can accommodate up to 3 tool pallets.

General features:

- 3 metal hinges for maximum strength
- ergonomic handle, rubber coated grip
- 2 metal lid safety support stays
- wheels on ball bearings
- 2 metal locks with keys
- telescopic handle
- address label



• Bottom area has removable dividers fixed directly on the shell body with no need of additional tray.

FRONT



BACK



Additional tool pallet (art. PAN ATOMIK) available as accessory upon request. Front with PSS system, back with elastics (only for PEL and PTS models).




• Stitched elastic bands (for more details see page 46)

### ATOMIK WH PEL ATOMIK/R WH PEL (red)

- 1 lid tool pallet with elastics on both sides
- 1 bottom tool pallet with elastics on one side
- document area
- bottom area with removable dividers






- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)

### ATOMIK WH PTS

- 1 lid tool pallet with FLEXI POUCHES™ on both sides
- 1 bottom tool pallet with FLEXI POUCHES™ on one side
- document area
- bottom area with removable dividers



- Art. FOAM ATOMIK: Available on demand as accessory, removing the dividers, this bottom area can be equipped with pre cubed foam layers for tester or measuring equipment storage.



- PSS™ - Patented Professional Storage System (for more details see page 46)

### ATOMIK WH PSS


- 1 lid tool pallet with PSS™ system on both sides
- 1 bottom tool pallet with PSS™ system on one side
- document area
- bottom area with removable dividers

ATOMIK



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	Icon
ATOMIK WH PEL	465	352	215/255	95	120/160	6,4
ATOMIK WH PTS	465	352	215/255	95	120/160	6,4
ATOMIK WH PSS	465	352	215/255	95	120/160	7,0
ATOMIK/R WH PEL (red color)	465	352	215/255	95	120/160	6,4



Injection moulded, high thickness Polypropylene shell tool case. Special large and thick aluminium trim, makes possible to open upper and lower compartment separately or together.

General features:


- 4 metal lid support stays for the vertical section
- 4 metal locks with keys
- 6 metal hinges for maximum strength
- ergonomic handle, rubber coated grip

## ATOMIK TWIN PTS

- 1 tool pallet with FLEXI POUCHES™ and elastic bands on both sides
- 1 tool pallet with PSS™ system and elastic bands on one side, large elastic bands on the other side
- 1 tool pallet with FLEXI POUCHES™ and elastic bands on one side
- 1 vertical tool pallet with pouches and elastic bands on both sides



- On one side the bottom area has removable dividers



- Art. FOAM ATOMIK: Available on demand as accessory, removing the dividers, this bottom area can be equipped with pre cubed foam layers for tester or measuring equipment storage.


- Upper and lower compartments can be opened separately or together



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
ATOMIK TWIN PTS	465	352	232	116	116	8.1





Watertight to 10 m. depth and perfectly sealed thanks to the o-ring and to the purge valve, these cases grant absolute protection. Made of resistant lightweight resin, they are provided with strong locks and an ergonomic handle. They are ideal for use in the harshest environment, such as industrial, aeronautical, military and nautical fields.

General features:

- waterproof and airtight (IP 67)
- interstackable
- corrosionproof, sandproof and dustproof
- shockproof and crushproof
- temperature rating -33°C/+90°C
- ergonomic handle, rubber coated grip
- jam free latches with user-friendly opening mechanism
- corrosion proof metal hinges with lid stay features
- manual pressure release valve (Art. PURGEVALVE.B)
- sealing o-ring (Art. NEOSEAL + item nr.)

WATERPROOF



### GT 44-19 PEL

- document wallet
- 2 tool pallets with elastics
- bottom tray with high stability dividers
- 2 small component boxes



- Stitched elastic bands (for more details see page 46)



- Art. SHOULDERKIT.U Adjustable shoulder strap kit (on all GT 44-19 models).



- Lid can be set to slide-off (on all GT 44-19 models).



## GT 44-19 PTS

- document wallet
- 2 tool pallets with FLEXI POUCHES™
- bottom tray with high stability dividers
- 2 small component boxes



- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)



## GT 44-19 PSS

- document wallet
- 1 lid tool pallet with PSS™ system on both sides
- 1 bottom tool pallet with PSS™ system on one side
- bottom tray with high stability dividers
- 2 small component boxes



- PSS™ (for more details see page 46)

- Patented heavy duty padlock with combination. Fits all the GT waterproof cases (Art. EXPL COMBILOCK).




- TSA accepted combi padlock, make the security inspection conveniently. Fits all the GT Waterproof cases (Art. EXPL TSA.DIGILOCK).



- Patented heavy duty padlock with keys. Fits all the GT waterproof cases (Art. EXPL PADLOCK).







NEW



**GT 51-22 PEL**

- 2 tool pallets with elastics
- document wallet with organized pouches
- bottom filled with pre cubed foam



- Wheels with bearings




**GT 51-22 PTS**

- 2 tool pallets with pouches
- document wallet with organized pouches
- bottom filled with pre cubed foam



- Easy to open release telescopic handle



- Self-oiling free running wheels



- Telescopic handle with quick & safe lock/unlock system



**NEW**

### GT 53-26 PEL

- 2 tool pallets with elastics
- document wallet with organized pouches
- bottom filled with pre cubed foam




### GT 53-26 PTS

- 2 tool pallets with pouches
- document wallet with organized pouches
- bottom filled with pre cubed foam

WATERPROOF





• Trolley with self-oiling free running wheels




• Two man lift side handles

### GT 58-23

- document wallet in the lid
- 1 tool pallet with large elastic bands on both sides
- 1 tool pallet with FLEXI POUCHES™ on both sides
- bottom with layers of pre cubed foam
- 1 padlock with key included
- ergonomic central handle
- 2 side handles for two people carriage
- trolley with quick & safe lock/unlock telescopic handle
- padlockable in several points providing maximum security
- corrosion proof metal reinforced hinges
- positive stacking location

WATERPROOF



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
GT 44-19 PEL	445	345	190	47	143	6,5
GT 44-19 PTS	445	345	190	47	143	6,5
GT 44-19 PSS	445	345	190	47	143	6,5
GT 51-22 PEL	517	277	217	50	167	7,5
GT 51-22 PTS	517	277	217	50	167	7,5
GT 53-26 PEL	538	405	250	60	190	12,0
GT 53-26 PTS	538	405	250	60	190	12,0
GT 58-23	580	440	220	60	160	12,5



Polypropylene case realized with the injection molding technique. It has a modern design, with compact dimensions, high capacity and lightweight. The aluminium profile grants a further strength.

General features:

- chromed handle
- 2 side closing (only PEL and PTS mod.)



## BOXER PEL

- document wallet
- 2 tool pallets with elastics
- vacuum formed bottom tray
- 2 small component boxes
- metal lid support stay
- central lock with key




- Vacuum formed bottom tray (only for Boxer PEL and Boxer PTS)

## BOXER PTS


- document wallet
- 2 tool pallets with pouches
- vacuum formed bottom tray
- 2 small component boxes
- metal lid support stay
- central lock with key

## EURO BOXER


- tool pallet with pouches on both sides
- document wallet
- elastics in the lid and in the bottom to fix component boxes and tools of different sizes
- 2 small component boxes



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
BOXER PEL	430	340	156	78	78	3,0
BOXER PTS	430	340	156	78	78	3,8
EURO BOXER	430	340	156	78	78	2,9





Injection moulded, high thickness Polypropylene tool case on wheels. This material is extremely resistant against chemical corrosion, shock, high and low temperature. When travelling, the case is in horizontal position. Compact dimensions, high load capacity and lightweight.

General features:

- high thickness aluminium telescopic handle
- wheels on ball bearings
- soft grip handle
- 2 side locks
- 1 central key lock
- document area
- metal lid support stay
- 2 small component boxes



• Central lock with key

### BOXER WH PEL

- 2 tool pallets with elastics



• Bottom area with removable dividers



### BOXER WH PTS

- 2 tool pallets with pouches



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
BOXER WH PEL	430	320	156/190	80	76/110	4,6
BOXER WH PTS	430	320	156/190	80	76/110	5,0

BOXER



The best quality/price ratio in a lightweight and robust case. Made in vacuum formed ABS with a strong aluminium trim, using the most advanced technological solutions and standardized automated production processes. A system of special dividers is directly fitted into the ribbed bottom tray, forming a more spacious and perfectly organized body. Without the addition of a separate internal bottom tray, the new case is much lighter and just as resistant and compact.

General features:

- 2 side locks with keys
- soft grip handle
- bottom tray with removable dividers



## REVO PEL

- 2 tool pallets with elastics



- Stitched elastic bands (for more details see page 46)



- bottom tray with removable dividers (all Revo models)




## REVO PTS

- 2 tool pallets with FLEXI POUCHES™



- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)





## REVO WHEELS PEL

- 2 tool pallets with elastics
- wheels with ball bearings
- telescopic handle



- Stitched elastic bands (for more details see page 46)



## REVO WHEELS PTS

- 2 tool pallets with FLEXI POUCHES™
- wheels with ball bearings
- telescopic handle




- FLEXI POUCHES™ - Patented Tool Fixing System (for more details see page 46)



## REVO SLIM PTS

- 1 tool pallet with FLEXI POUCHES™ on both sides



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	📦
REVO PEL	453	332	190	85	105	4,0
REVO PTS	453	332	190	85	105	4,0
REVO WHEELS PEL	453	332	197	92	105	4,5
REVO WHEELS PTS	453	332	197	92	105	4,5
REVO SLIM PTS	453	332	170	70	100	3,5

REVO

Manufactured in high impact polypropylene, using the injection molding technique, it is provided with corner reinforcements. The bottom dividers have been designed to remain steady even in case of accidental overturning of the case. This system gives the flexibility of an adjustable interior as well as the steadiness of fixed compartments.

General features:

- two metal locks with key
- central combination lock with 3 digits
- soft rubber grip handle
- hinges with 90° opening block system
- bottom tray with high stability divider modules
- document wallet

## MODULAR 220 PEL

- 2 tool pallets with elastics
- fitted with a third optional pallet



MODULAR + CAR 01  
 LEGS KIT+ ROLLER

MODULAR



• CAR 01



• LEGS KIT



• CAR 01+LEGS KIT

## MODULAR 220 PTS


- 2 tool pallets with pouches
- fitted with a third optional pallet



INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	S
MODULAR 220 PEL	470	350	220	110	110	6,0
MODULAR 220 PTS	470	350	220	110	110	6,3





**MUB78**

- empty
- side liftable handle for use on wheels

Lightweight high capacity injection moulded polypropylene box for tough, heavy duty use. Ideal for use where high loading capacity is needed like construction sites, maintenance, transport, outdoor, nautical equipment.

General features:

- water resistant construction
- shock resistant and corrosion proof
- moulded integral lifting points on both ends
- full length steel hinge pin to lid
- positive grab over latching catches
- lid reinforcements
- slide out clear ID-Nameplate holder
- use in high/low temp environments
- padlocking provision
- side handles for two men carriage
- large front handle for hand carrying



Ability to stack



**MUB78 GT**

- 2 trays with dividers
- 2 elastic kits (Art. KIT03)
- side liftable handle for use on wheels

Art. KIT03:  
elastic bands  
and metal clips  
(not included in the  
Art. KIT TRAY MUB)



Art. KIT TRAY MUB:  
1 tray with divider  
(the Art. KIT03  
is not included)



**MUB65**

- empty



**INTERNAL DIMENSIONS (mm)**

Model	A	B	C	D	E	Icon
MUB78	780	410	330	50	280	6,3
MUB78 GT	780	410	330	50	280	7,8
MUB65	653	340	312	65	247	4,5



Its rounded shapes, the body in anodized aluminium, the combination lock, make this cases the top line of GT's technical cases proposal.

General features:

- cold moulded body realized from a 15/10 mm. thick aluminium sheet
- aluminium profile for a more reliable closing
- 2 chromed steel locks
- combination lock with 3 digits
- 3 metal hinges
- 4 metal feet
- chromed ABS handle with soft grip
- vacuum formed tray with 3 compartments
- metal lid support stays with safety spring pawl

## R7/TOP

- 2 tool pallets with elastics
- double document wallet
- 2 small component boxes



- Stitched elastic bands (for more details see page 46)




- vacuum formed tray with 3 compartments, one of which suitable for a drill.



## R7/TOP2 PTS

- 2 tool pallets with pouches
- double document wallet
- 2 small component boxes



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	Icon
R7/TOP	474	355	178	74	104	6,0
R7/TOP2 PTS	474	355	178	74	104	6,5





Traditional ultra resistant tool cases, now even more reliable thanks to the construction technique based on a unique aluminium cold bent body 15/10 mm. thick. Reinforcements in chromed iron and corrosion resistant aluminium "L" section extrusions.

General features:

- chromed ABS handle with soft rubber grip
- aluminium profile for a more reliable closing
- 2 metal chromed locks
- vacuum formed tray
- 3 metal chromed high thickness hinges
- shoulder belt

### ALC/120

- document wallet
- 1 tool pallet with elastic bands
- 1 small component box
- 1 metal lid support stay with safety spring pawl



- Stitched elastic bands (for more details see page 46)



### ALC/170

- document wallet
- 2 tool pallets with elastic bands
- 2 small component boxes
- 2 metal lid support stays with safety spring pawl



- Vacuum formed tray with 3 compartments (only for ALC/170).



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	Icon
ALC/170	435	335	185	85	100	5,9
ALC/120	435	335	150	70	80	5,0



Professional, lightweight aluminium tool case with thick steel corners and metal reinforcements on the profile to grant absolute protection.

General features:

- 2 metal locks with keys
- reinforced internal structure
- rubber grip handle
- rings for shoulder belt (optional Art. KIN.0359)
- 2 metal hinges
- 4 rubber feet (on the bottom and on the lower shell)
- metal lid support stay
- vacuum formed bottom tray with fixed compartments



- vacuum formed bottom tray with fixed compartments



- Stitched elastic bands (for more details see page 46)

## METAL LITE PEL

- 2 tool pallets with elastics
- adjustable document wallet

METAL



### INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	
METAL LITE PEL	465	343	170	70	100	7,0





Patented cases realized with a revolutionary compound construction technique of aluminium and a special rubber resin derived from the automotive field. Great resistance and lightweight are granted.

General features:

- 2 hinges with 90° opening block system and incorporated feet
- 4 rubber feet for maximum stability on horizontal surfaces
- 2 chromed iron locks
- ergonomic handle, rubber coated grip

### COMPOSIT 190 PEL

- 2 tool pallets with elastics bands
- bottom tray with dividers
- document wallet
- 2 small component boxes



### COMPOSIT 190 PTS

- 2 tool pallets with pouches
- bottom tray with dividers
- document wallet
- 2 small component boxes



- Patented dividers system. It remains steady, creating a structure similar to a bottom tray with fixed compartments.



### COMPOSIT 190 PSS

- 2 tool pallets with PSS™ system
- bottom tray with dividers
- document wallet
- 2 small component boxes



INTERNAL DIMENSIONS (mm)

Model	A	B	C	D	E	Weight
COMPOSIT190 PEL	446	340	190	75	115	5.0
COMPOSIT190 PTS	446	340	190	75	115	5,0
COMPOSIT190 PSS	446	340	190	75	115	5,5



## WL COMPONENT BOXES

- WL01**
  - Small shock-proof PP component box with 6 compartments.
- WL02**
  - Small shock-proof PP component box with 6 compartments.
- WL03**
  - Small empty shock-proof PP component box.
- WL04**
  - Shock-proof PP component box with 10 compartments.
- WL05**
  - Shock-proof PP empty component box.

### EXTERNAL DIMENSIONS (mm)

Model	A	B	C	Icon
WL01 - WL02 - WL03	163	120	30	0,08
WL04 - WL05	245	130	30	0,15



## LOCK BELT

- nylon strength safety belt strap with combination lock
- 3-dial combination lock, easy to use
- adjustable from 107 to 190 cm



## UNIVERSAL TROLLEY

Folding, lightweight and resistant universal trolley. It is provided with elastics and plastic hooks to easily fix any kind of case or bag.

- telescopic handle with two locking positions
- large wheels allowing easy transport.

Dimensions:

Closed 470x260x90 mm.

Open 1080x260x300 mm.

Weight: 1,30 Kg. - Up to: 30 Kg. load







Heavy-duty tool bags made with tear resistant nylon 600D fabric, having the same shape and load ability of the traditional leather bags.

General features:

- reinforced stitching
- tear resistant Nylon 600D fabric
- bottom tray made of zinc plated steel
- water resistant TARPAULINE™ bottom
- bottom with 4 feet
- adjustable shoulder belt
- handle with rubber grip
- refractive inserts for higher visibility



### BTP 01

- swing down front pallet with stitched sides to keep a 90° opening
- interior sides with stitched tool FLEXI POUCHES™



### BTP 02

- external pouches on both sides
- swing down front pallet with stitched sides to keep a 90° opening
- Interior sides with stitched tool FLEXI POUCHES™ and PSS™ system
- space for level on top of the bag



### BTP 03

- external pouches on both sides
- swing down front and rear pallet with stitched sides to keep a 90° opening
- interior sides with stitched tool FLEXI POUCHES™ and PSS™ system
- space for level on top of the bag



- Optional aluminium trolley. It can be quickly fixed on the bag BTP 03 to provide maximum comfort in transportation. (Art. UNIVERSAL TROLLEY).



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	h
BTP 01	370	155	250	2,9
BTP 02	415	180	270	4,4
BTP 03	470	215	350	5,6

BTP



Heavy-duty tool bags made with high quality genuine leather.

General features:

- high tight reinforced stitching
- high thickness genuine leather with scratch proof surface
- metal snap locks
- heavy duty bottom tray made of zinc plated iron
- shoulder belt (optional only for BCP01 and BCP01 PSS mod.)


### BCP 01

- swing down front pallet with stitched sides to keep a 90° opening
- interior sides with stitched tool pouches and straps



### BCP 02

- external document pouch
- swing down front pallet with stitched sides to keep a 90° opening
- interior sides with stitched tool pouches and straps



### BCP 03

- external document pouch
- swing down front and rear pallets with stitched sides to keep a 90° opening
- central pallet with stitched tool pouches on both sides
- interior sides with stitched tool pouches and straps





### BCP 01 PSS

- swing down front pallet with stitched sides to keep a 90° opening
- 2 PSS™ bars for the storage of medium and big size tools



### BCP 02 PSS

- external document pouch
- swing down front pallet with stitched sides to keep a 90° opening
- 2 PSS™ bars for the storage of medium and big size tools



### BCP 03 PSS

- external document pouch
- swing down front and rear pallet with stitched sides to keep a 90° opening
- 4 PSS™ bars for the storage of small, medium and big size tools



#### INTERNAL DIMENSIONS (mm)

Model	A	B	C	Icon
BCP 01 - BCP 01 PSS	360	150	230	2,5-3,5
BCP 02 - BCP 02 PSS	400	160	260	3,5-4,5
BCP 03 - BCP 03 PSS	410	180	310	5,5-5,5



Stitched tool bags made entirely of leather with reinforced aluminium lateral profiles.

General features:

- practical shoulder strap,
- metal closing buckles
- internal robust zinc-plated metal base



**BCF 134**



**BCF 135**



**BCF 136**



- Internal horizontal divider to optimize the inner space (only in BCF 136 model)

BCF



**INTERNAL DIMENSIONS (mm)**

Model	A	B	C	h
BCF 134	410	200	180	2,0
BCF 135	450	200	180	2,3
BCF 136	520	200	180	2,9





**BCE 137**



Stitched tool bags made entirely of leather with reinforced ABS lateral profiles.

General features:

- shoulder strap
- metal closing buckles
- extractable ABS tool pallet with adjustable bands



**BCE 138**



**BCE 139**



- Extractable internal tool pallet



**BCE 140**



**INTERNAL DIMENSIONS (mm)**


Model	A	B	C	i
BCE 137	200	215	100	0,85
BCE 138	300	215	100	1,0
BCE 139	350	235	110	1,2
BCE 140	400	270	120	1,7


Shock proof computer case to provide absolute protection while travelling with notebook and accessories.

### CYBER BOXER

- organized document pouch
- rigid panel for a notebook
- bottom area with pre-cubed foam to personalize the bottom area
- adjustable shoulder strap

**INTERNAL DIMENSIONS (mm)**

Model	A	B	C	D	E	
CYBER BOXER	430	340	156	78	78	3,0



Computer bag for laptop and equipment.

General features:

- external organized pouch for documents and accessories
- adjustable shoulder strap and easy carry handle

### HAND BASIC N

- 2 padded compartments
- laptop area
- area for printer or equipment



Computer bag for laptop and equipment.


General features:

- external organized pouch for documents and accessories
- adjustable shoulder strap and easy carry handle

### HAND LITE

- 1 padded compartment
- laptop area

**EXTERNAL DIMENSIONS (mm)**

Model	A	B	C	
HAND BASIC N	410	330	140	1,8
HAND LITE	380	310	120	1,5





**TOP TRAVELLER**

24 hours trolley for notebook, personal belongings, tools and documents.

- large wheels and telescopic handle
- document area
- padded area for laptop and accessories
- clothes and personal belongings compartment



- separate area for tools



**TOP WALKER**

Trolley/backpack with adjustable shoulder straps. Multiple pockets. Ideal for laptop, documents and accessories.

- large wheels and telescopic handle
- document area
- padded area for laptop and accessories



**TOP ENVELOPE**



TOP ENVELOPE 13  
 TOP ENVELOPE 15  
 Neoprene 13" and 15" laptop sleeves fit into backpack (on demand)


**EXTERNAL DIMENSIONS (mm)**

Model	A	B	C	
TOP TRAVELLER	470	370	190	4,2
TOP WALKER	420	340	200	2,3

## PEL TOOL PALLETS SYSTEM




Tool pallet with adjustable loop elastic band, according to the size of the tools.




Elastic band with reinforced stitching fixed loops in different sizes for any kind of hand tool storage.

## PTS TOOL PALLETS SYSTEM




Traditional hard-wearing synthetic leather, reinforced stitching, pouches in different sizes for various tools storage.



FLEXI POUCHES™: original patented tool fixing system by means of special pouches made of extremely resistant elastic material and with reinforced stitching. It easily fits to the different shapes of tools. The right position of the tools contained is always ensured, even in case of overturning of the case.

## PSS TOOL PALLETS SYSTEM

Professional Storage System: the tools are stored and held in place thanks to the pressure of four rubber blades. The design is lightweight, made using an injection moulded technique (aluminum for PRO BAGS BCP 01-02-03 PSS) that makes both the storage housing and the blades highly elastic and resistant to rough, heavy duty use with no memory effect.







• MP.0056 - Deskmat dim. 60x40 cm.



• MP.0369 - Deskmat dim. 60x40 cm.



• MP.0359  
Crown  
dim. 29x45 cm



• MP.0289  
Cardboard display  
dim. 58x43x235 cm.



• MP.0332  
dim. 90x200 cm.



• MP.0358  
dim. 90x200 cm.



• MP.0378  
dim. 90x200 cm.



**GT Line srl**

Via del Lavoro, 50/52 - Loc. Crespellano - 40053 Valsamoggia (Bo) - Italy

Tel. +39 051 65041 - Fax +39 051 734925

sales@gtline.com - [www.gtline.com](http://www.gtline.com)



REG. N. 1594-A  
UNI EN ISO 9001:2008

The information contained in this booklet are indicative only. GT reserves the right at all times to incorporate modifications in the models described, in accordance with technical or commercial requirements. GT cases are supplied without tools. All "T20" and "T70" models in catalogue are accepted as hand-luggage on aircraft. Any trademark or logo are property of the respective owners.