

# PRODUCT DATA SHEET



## GT Line Professional Trolley WATERPROOF GT 48-25 PEL

EAN 8024482191621

### Maximum Protection and Organization in Every Extreme Environment



The GT 48-25 PEL professional trolley is the ideal container for professionals who work in difficult environments and require efficient internal organization. This tool case guarantees total watertightness thanks to the special gasket and pressurization valve, offering absolute protection against water, dust, humidity and corrosive agents. Designed for high-intensity sectors - industrial, nautical, medical, military - it combines the strength of polypropylene with extraordinary organizational capacity thanks to the elastic panels, internal dividers and details designed for transport. The GT 48-25 PEL is much more than a tool trolley: it is a true professional mobile station.

#### Features

1. Total protection from water, dust and external agents.

The professional case is made of high-resistance polypropylene with an airtight seal and pressurization valve, offering watertight containment against liquids, humidity and sand, even in extreme conditions.

2. Structural resistance for extreme environments.

Designed to withstand temperatures from -33°C to +90°C, impacts, crushing and corrosive substances, this tool case is perfect for critical missions and intensive use.

3. Versatile and intelligent internal organization.

The two tool panels with elastic bands offer an orderly and accessible arrangement for tools of various sizes, while the modular dividers in the bottom allow for a customized configuration.

4. Maximum stability and comfort in transport.

Equipped with an ergonomic rubber-coated handle, telescopic handle and integrated wheels, it allows easy movement even with the contents fully loaded.

5. Advanced safety and professional details.

Steel reinforcements at the fixing points for padlocks, anti-corrosion hinges and gas-pressurized lid support arms ensure durability, safety and ease of use.

6. Integrated document management.

The document pocket and the identification name plate complete the equipment, making this tool case perfect for the management of sensitive materials or technical certifications.



# 7. Stackable design for efficient logistics.

The external design is optimized for stacking, ideal for multiple transports and organized storage in warehouses or work vehicles.

| Internal measurements* |                    |                    |                    |                  |                   |
|------------------------|--------------------|--------------------|--------------------|------------------|-------------------|
|                        | A                  | B                  | C                  | D                | E                 |
|                        | 480 mm<br>18.90 in | 370 mm<br>14.57 in | 255 mm<br>10.04 in | 50 mm<br>1.97 in | 205 mm<br>8.07 in |

+/-1,5% from nominal measurements

| Weight |                   | Load capacity |  |  |  |  |  | Color |       |
|--------|-------------------|---------------|--|--|--|--|--|-------|-------|
|        | 9 Kg<br>19.84 lbs |               |  |  |  |  |  |       | Black |



| Specifications        |                                                          |
|-----------------------|----------------------------------------------------------|
| Wheels                | SI - Ruote presenti                                      |
| Colour                | Black                                                    |
| Handles               | Ergonomic handle with rubber grip<br>1 Telescopic handle |
| Linkages              | Gas-powered lid support arms                             |
| Panels                | 2 tool holder panels with elastic bands                  |
| Document holder       | 1 document pocket                                        |
| Base                  | Base with high-stability modular dividers                |
| Hinges                | Corrosion proof metal hinges with lid stay features      |
| Stackable             | Yes                                                      |
| Material              | POLIPROP.K12/HAIPLN                                      |
| Valve                 | Pressurization valve                                     |
| Dimensional tolerance | +/-1,5% from nominal measurements                        |
| Solutions             | With wheels                                              |
| Series                | GT 48-25                                                 |



| <b>Accessories</b> |                      |                                                                                                     |                                                                                       |
|--------------------|----------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WL05               | Small Parts Box WL05 | Empty small parts box in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg                |    |
| WL04               | Small Parts Box WL04 | Small parts box with 10 compartments in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg |    |
| WL03               | Small Parts Box WL03 | Empty small parts box in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg                |    |
| WL02               | Small Parts Box WL02 | Small parts box with 13 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg |  |
| WL01               | Small Parts Box WL01 | Small parts box with 6 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg  |  |



| Ricambi  |                               |                                                         |                                                                                       |
|----------|-------------------------------|---------------------------------------------------------|---------------------------------------------------------------------------------------|
| KIN.1283 | Black/Grey lock               | Single replacement latch (grey/black) with mounting pin |    |
| KIN.0496 | Name plate                    | Removable name tag plate                                |    |
| KIN.1382 | Handle                        | Ergonomic rubber-coated handle<br>4 Mounting pins       |    |
| KIN.1506 | Strip for twist lock          | Rubber strip with mounting parts                        |  |
| KIN.1505 | A pair of lid supports        | Set of 2 replacement brackets for gas springs           |  |
| KIN.1504 | Lid panel                     | Replacement lid panel with 4 mounting screws            |  |
| KIN.1503 | Replacement telescopic handle | 1 replacement handle with 9 mounting screws             |  |



|          |                              |                                      |                                                                                      |
|----------|------------------------------|--------------------------------------|--------------------------------------------------------------------------------------|
| KIN.1502 | Set of lower dividers        | Set of 3 lower dividers              |   |
| KIN.1497 | Upper tool panel PEL version | Upper tool panel with elastic straps |   |
| KIN.1496 | Lower tool panel PEL         | Lower tool panel with elastic straps |   |
| KIN.1495 | Spare wheel set              | 2 replacement wheels with axle       |  |