


# PRODUCT DATA SHEET



## GT Line Professional Trolley **WATERPROOF GT 52-21 PTS**

EAN 8024482184326

### Maximum Protection and Mobility for Extreme Use



The WATERPROOF GT 52-21 professional trolley is a high-performance container designed for use in critical conditions. Fully sealed and waterproof, it provides complete protection for tools and equipment against water, moisture, sand, and dust. Made of tough polypropylene and equipped with an automatic pressure relief valve, it is ideal for the safe transport of sensitive instruments in industrial, marine, medical, and military sectors. Thanks to its large capacity, telescopic handle, and integrated wheels, this tool case is also perfect for air travel and everyday use on the move.

#### Features

1. Watertight and total protection from external elements.

The molded gasket and automatic pressure valve ensure complete protection from water, humidity, sand, and fine dust.

2. Superior resistance for extreme conditions.

Made of high-thickness polypropylene, with corrosion-resistant hinge pins and steel reinforcements, it offers protection against impacts, crushing, and corrosive agents across a wide temperature range (-33°C to +90°C).

3. Extra-large capacity for bulky tools and gear.

The thermoformed bottom with adjustable dividers enables efficient organization of irregular or oversized equipment.

4. Professional, customizable organization.

Equipped with 2 elastic tool panels and a document pouch, this case keeps tools and documents neatly arranged for optimal workflow.

5. Ideal mobility for air travel.

The telescopic handle, durable wheels, and cabin-compatible size make it the perfect tool case for frequent flyers.

6. Advanced security and fast identification.

A new lever-lock system, removable name tag holder, and optional shipping label slot ensure safety and traceability during transport.

7. Stability and ease of use on the field.



Gas-pressurized lid stays hold the lid open for hands-free access, even in complex operational environments.


| Internal measurements* |                      |                      |                   |                  |                   |
|------------------------|----------------------|----------------------|-------------------|------------------|-------------------|
|                        | A                    | B                    | C                 | D                | E                 |
|                        | 521,8 mm<br>20.54 in | 284,3 mm<br>11.19 in | 205 mm<br>8.07 in | 55 mm<br>2.17 in | 150 mm<br>5.91 in |

+/-1,5% from nominal measurements

| External measurements* |                    |
|------------------------|--------------------|
| Length                 | 550 mm<br>21.65 in |
| Depth                  | 351 mm<br>13.82 in |
| Height                 | 225 mm<br>8.86 in  |

| Weight |                      |
|--------|----------------------|
|        | 6,84 Kg<br>15.08 lbs |

| Load capacity |                     |
|---------------|---------------------|
|               | 6,8 Kg<br>14.99 lbs |



| Color |       |
|-------|-------|
|       | Black |




| Specifications        |                                                                                                                |
|-----------------------|----------------------------------------------------------------------------------------------------------------|
| Wheels                | Self-lubricating wheels                                                                                        |
| Colour                | Black                                                                                                          |
| Handles               | 1 Ergonomic handle with rubber coating<br>1 Telescopic handle                                                  |
| Linkages              | Gas pressurised lid supports                                                                                   |
| Panels                | 1 tool panel with FLEXI POUCHES™ pockets on both sides<br>1 tool panel with FLEXI POUCHES™ pockets on one side |
| Document holder       | 1 document pocket                                                                                              |
| Locks                 | Lever-release locks. Padlock provision                                                                         |
| Tag                   | 1 Name plate                                                                                                   |
| Base                  | Base with removable and adjustable dividers                                                                    |
| Stackable             | Yes                                                                                                            |
| Valve                 | Pressurization valve                                                                                           |
| Dimensional tolerance | +/-1,5% from nominal measurements                                                                              |
| Solutions             | With wheels                                                                                                    |
| Series                | GT 52-21                                                                                                       |



| <b>Accessories</b> |                      |                                                                                                     |                                                                                       |
|--------------------|----------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WL01               | Small Parts Box WL01 | Small parts box with 6 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg  |    |
| WL02               | Small Parts Box WL02 | Small parts box with 13 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg |    |
| WL03               | Small Parts Box WL03 | Empty small parts box in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg                |    |
| WL04               | Small Parts Box WL04 | Small parts box with 10 compartments in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg |  |
| WL05               | Small Parts Box WL05 | Empty small parts box in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg                |  |



| Ricambi  |                  |                                                                             |                                                                                                   |
|----------|------------------|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| KIN.1270 | Gas strut        | Gas strut for lid support                                                   |                |
| KIN.1271 | Dividers         | Divider kit for case bottom:<br>2 vertical dividers<br>1 horizontal divider |                |
| KIN.1266 | PTS Upper Panel  | Upper PTS panel with FLEXI<br>POUCHES™ pockets on one side                  |                |
| KIN.1267 | PTS bottom panel | Lower PTS panel with FLEXI<br>POUCHES™ pockets on both sides                |              |
| KIN.1216 | Wheel kit        | 2 Wheels with ball bearings<br>2 Self-locking nuts<br>1 Axle rod            |              |
| KIN.1224 | Name plate       | 1 Name tag plate in polycarbonate                                           |              |
| KIN.1209 | Lock             | Lock with release lever<br>1 Mounting pin                                   | <br>KIN.1209 |



|          |                   |                                         |                                                                                                                                                                         |
|----------|-------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KIN.1202 | Telescopic handle | 1 Black handle<br>10 Mounting screws    | <br>A black, rectangular telescopic handle with a small white label at the top.      |
| KIN.1201 | O-ring            | Polyurethane gasket for top cover       | <br>A black, circular O-ring gasket.<br>KIN.1201                                     |
| KIN.1205 | Handle            | Rubber-coated handle<br>2 Mounting pins | <br>A black, U-shaped rubber-coated handle with two small mounting pins.<br>KIN.1205 |