

# PRODUCT DATA SHEET



## GT Line Waterproof Professional Trolley GT 48-25 PTS

EAN 8024482191645

### Waterproof Seal, Perfect Order and Total Versatility



The GT 48-25 PTS professional case is a high-performance container designed to ensure maximum protection and organization of tools in any environment — even the most extreme. Made of rugged polypropylene and fitted with a watertight seal and pressure relief valve, it provides total protection from water, dust, humidity, and corrosive agents.

The two internal panels with FLEXI POUCHES™ offer a neat and versatile tool management system, while the modular divider system in the base ensures stability and space customization.

Ideal as a tool case for technicians, maintenance workers, and professional operators in industrial, marine, medical, and military fields.

#### Features

1. Watertight protection against water, humidity, sand, and dust.

The special gasket and pressurization valve make the case airtight, perfect for protecting delicate tools and equipment even in extreme environmental conditions.

2. Resistance to impacts, crushing, and chemical agents.

High-strength polypropylene and reinforced structure guarantee maximum protection against impacts, high pressures, and corrosive substances, ideal for intensive field use.

3. Functional organization with FLEXI POUCHES™ panels.

The two tool panels with FLEXI POUCHES™ pockets allow efficient arrangement of tools of various sizes, improving accessibility and order during use.

4. Customizable and stable internal configuration.

The base is equipped with high-stability modular dividers that allow adapting the internal space of the tool case according to the operational needs of the professional.

5. Easy transport on any surface.

The presence of durable wheels and a telescopic handle, together with an ergonomically rubber-coated handle, facilitates movement even over long distances or rough terrain.

6. Security and robustness in the details.

Zippers with anti-corrosion pins and steel reinforcements at padlock points protect the tool case from unauthorized access and prolonged wear.

7. Documentation management always within reach.



The internal document pocket and external nameplate allow orderly and professional management of manuals, checklists, and identification data.

#### 8. Stackable design for efficient logistics.

The professional case structure is optimized for stacking, making it ideal also for transport and storage in industrial environments or equipped vehicles.

| Internal measurements* |                    |                    |                    |                  |                   |
|------------------------|--------------------|--------------------|--------------------|------------------|-------------------|
|                        | A                  | B                  | C                  | D                | E                 |
|                        | 480 mm<br>18.90 in | 370 mm<br>14.57 in | 255 mm<br>10.04 in | 50 mm<br>1.97 in | 205 mm<br>8.07 in |

+/-1,5% from nominal measurements

| Weight |                     |
|--------|---------------------|
|        | 9,1 Kg<br>20.06 lbs |

| Load capacity |                    |
|---------------|--------------------|
|               | 35 Kg<br>77.16 lbs |










| Color |       |
|-------|-------|
|       | Black |







| Specifications        |  |
|-----------------------|--|
| Wheels                | SI - Ruote presenti                                      |
| Colour                | Black  |
| Handles               | Ergonomic handle with rubber grip<br>1 Telescopic handle |
| Linkages              | Gas pressurised lid supports                             |
| Panels                | 2 tool panels with FLEXI POUCHES™ pockets                |
| Document holder       | 1 document pocket  |
| Tag                   | 1 Name plate   |
| Base                  | Base with high-stability modular dividers                |
| Hinges                | Corrosion proof metal hinges with lid stay features      |
| Stackable             | Yes  |
| Material              | POLIPROP.K12/HAIPLEN                                     |
| Valve                 | Pressurization valve                                     |
| Dimensional tolerance | +/-1,5% from nominal measurements                        |
| Solutions             | With wheels  |
| Series                | GT 48-25   |

| <b>Accessories</b> |                      |   |   |
|--------------------|----------------------|---|---|
| WL05               | Small Parts Box WL05 | Empty small parts box in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg                |    |
| WL04               | Small Parts Box WL04 | Small parts box with 10 compartments in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg |    |
| WL03               | Small Parts Box WL03 | Empty small parts box in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg                |    |
| WL02               | Small Parts Box WL02 | Small parts box with 13 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg |  |
| WL01               | Small Parts Box WL01 | Small parts box with 6 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg  |  |



| Ricambi  |                               |   |   |
|----------|-------------------------------|---|---|
| KIN.1283 | Black/Grey lock               | Single replacement latch (grey/black) with mounting pin | <br>KIN.1283   |
| KIN.0496 | Name plate                    | Removable name tag plate                                |                |
| KIN.1382 | Handle                        | Ergonomic rubber-coated handle<br>4 Mounting pins       | <br>KIN.1382   |
| KIN.1506 | Strip for twist lock          | Rubber strip with mounting parts                        | <br>KIN.1506 |
| KIN.1505 | A pair of lid supports        | Set of 2 replacement brackets for gas springs           | <br>KIN.1505 |
| KIN.1504 | Lid panel                     | Replacement lid panel with 4 mounting screws            | <br>KIN.1504 |
| KIN.1503 | Replacement telescopic handle | 1 replacement handle with 9 mounting screws             | <br>KIN.1503 |



|          |                              |  |  |
|----------|------------------------------|--|--|
| KIN.1502 | Set of lower dividers        | Set of 3 lower dividers                      |   |
| KIN.1499 | Upper tool panel PTS version | Upper tool panel with FLEXI POUCHES™ pockets |   |
| KIN.1498 | Lower tool panel PTS version | Lower tool panel with FLEXI POUCHES™ pockets |   |
| KIN.1495 | Spare wheel set              | 2 replacement wheels with axle               |  |