

PRODUCT DATA SHEET



GT Line Professional Trolley **WATERPROOF GT 48-25 PEL**

EAN 8024482191621

Maximum Protection and Organization in Every Extreme Environment



The GT 48-25 PEL professional trolley is the ideal container for professionals who work in difficult environments and require efficient internal organization. This tool case guarantees total watertightness thanks to the special gasket and pressurization valve, offering absolute protection against water, dust, humidity and corrosive agents. Designed for high-intensity sectors - industrial, nautical, medical, military - it combines the strength of polypropylene with extraordinary organizational capacity thanks to the elastic panels, internal dividers and details designed for transport. The GT 48-25 PEL is much more than a tool trolley: it is a true professional mobile station.

Features

1. Total protection from water, dust and external agents.

The professional case is made of high-resistance polypropylene with an airtight seal and pressurization valve, offering watertight containment against liquids, humidity and sand, even in extreme conditions.

2. Structural resistance for extreme environments.

Designed to withstand temperatures from -33°C to +90°C, impacts, crushing and corrosive substances, this tool case is perfect for critical missions and intensive use.

3. Versatile and intelligent internal organization.

The two tool panels with elastic bands offer an orderly and accessible arrangement for tools of various sizes, while the modular dividers in the bottom allow for a customized configuration.

4. Maximum stability and comfort in transport.

Equipped with an ergonomic rubber-coated handle, telescopic handle and integrated wheels, it allows easy movement even with the contents fully loaded.

5. Advanced safety and professional details.

Steel reinforcements at the fixing points for padlocks, anti-corrosion hinges and gas-pressurized lid support arms ensure durability, safety and ease of use.


6. Integrated document management.

The document pocket and the identification name plate complete the equipment, making this tool case perfect for the management of sensitive materials or technical certifications.



7. Stackable design for efficient logistics.

The external design is optimized for stacking, ideal for multiple transports and organized storage in warehouses or work vehicles.

Internal measurements*					
	A	B	C	D	E
	480 mm 18.90 in	370 mm 14.57 in	255 mm 10.04 in	50 mm 1.97 in	205 mm 8.07 in

+/-1,5% from nominal measurements

External measurements*	
Length	520 mm 20.47 in
Depth	440 mm 17.32 in
Height	277 mm 10.91 in

Weight	
	8,99 Kg 19.82 lbs

Load capacity	
	35 Kg 77.16 lbs



Color	
	Black



Specifications	
Dimensional tolerance	+/-1,5% from nominal measurements
Solutions	With wheels
Colour	Black
Valve	Pressurization valve
Stackable	Yes
Handles	Ergonomic handle with rubber grip 1 Telescopic handle
Panels	2 tool holder panels with elastic bands
Hinges	Corrosion proof metal hinges with lid stay features
Document holder	1 document pocket
Base	Base with high-stability modular dividers
Linkages	Gas-powered lid support arms
Series	GT 48-25
Material	POLIPROP.K12/HAIPLEN
Wheels	SI - Ruote presenti



Accessories			
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	



Ricambi			
KIN.1283	Black/Grey lock	Single replacement latch (grey/black) with mounting pin	 KIN.1283
KIN.0496	Name plate	Removable name tag plate	
KIN.1382	Handle	Ergonomic rubber-coated handle 4 Mounting pins	 KIN.1382
KIN.1506	Strip for twist lock	Rubber strip with mounting parts	 KIN.1506
KIN.1505	A pair of lid supports	Set of 2 replacement brackets for gas springs	 KIN.1505
KIN.1504	Lid panel	Replacement lid panel with 4 mounting screws	 KIN.1504
KIN.1503	Replacement telescopic handle	1 replacement handle with 9 mounting screws	 KIN.1503



KIN.1502	Set of lower dividers	Set of 3 lower dividers	
KIN.1497	Upper tool panel PEL version	Upper tool panel with elastic straps	
KIN.1496	Lower tool panel PEL	Lower tool panel with elastic straps	
KIN.1495	Spare wheel set	2 replacement wheels with axle	