PRODUCT DATA SHEET



GT Line Professional Case Flash 2 PTS

EAN 8024482182612

Essential Functionality and Durability









The Flash 2 professional case is the ideal container for those seeking the perfect balance between quality, functionality, and price. Built with injection-molded ABS walls and reinforced with aluminium profiles, this tool case is designed to last over time—even in the most demanding work environments. Its internal layout is designed to meet the needs of technicians, maintenance workers, and installers, offering a compact, durable, and easily transportable solution. The Flash 2 tool case is a practical, versatile, and reliable choice for any professional on the move.

Features

1. Rugged and impact-resistant structure.

The injection-molded ABS body ensures solid protection against mechanical stress, keeping contents safe even in tough conditions.

2. Aluminum reinforcements for long-term durability.

Corner profiles in aluminum increase structural resistance, shielding against wear and accidental knocks.

3. Efficient and customizable interior organization.

Two internal elastic tool panels and a document pouch with tool pockets keep everything in place, boosting efficiency and accuracy during operations.

4. Customizable bottom compartment with removable dividers.

The lower tray allows you to tailor internal layout for maximum versatility.

5. Maximum security with dual key locks.

Two key-operated locks secure tools against unauthorized access—ideal for transporting valuable equipment.

6. Reinforced hinges for secure closure.

Rear hinges provide strong retention, preventing accidental openings during transit.

7. Ergonomic handle with anti-slip rubber grip.

The comfortable rubber-coated grip allows easy handling during prolonged or heavy-duty transport.

8. Easy-to-clean interior for quick maintenance.

The internal surface is designed for effortless cleaning, ensuring hygiene and organization at all times.



Internal measurements*						
	Α	В	С	D	E	
A DEC		317,6 mm 12.50 in				

	4 50/	•		
/	1 5 %	trom	naminal	maggiramanta
т/	-1.5/0	поп	HOHIIIIai	measurements
	.,			

External measurements*			
Length	465,9 mm		
	18.34 in		
Danath	373,5 mm		
Depth	14.70 in		
	170 mm		
Height	6.69 in		

Weight				
	4,15 Kg 9.16 lbs			

Load capacity	ORROSION PROOF	9HOCK PROOA	ON TEMPERATURA
20 Kg 44.09 lbs			§ 5-18







Color			
A	Black		



Specifications			
Colour	Black		
Handles	Chrome handle with rubber grip		
Profile	Aluminum profile		
Panels	1 tool panel with FLEXI POUCHES™ pockets on both sides 1 tool panel with FLEXI POUCHES™ pockets on one side		
Document holder	1 document pocket		
Locks	2 chrome steel locks		
Base	Thermoformed base with storage compartments, featuring 3 fixed sections including one drill holder.		
Hinges	3 Metal chromed high thickness hinges		
	2 Component boxes		
Dimensional tolerance	+/-1,5% from nominal measurements		
Solutions	Without wheels		
Series	Flash		
Material	ABS - PLAST.		



Accessories				
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	N. S. W. W.	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg		
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg		
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	Enangel.	
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	The state of the s	



Ricambi				
KIN.1227	Hinge	1 Hinge 6 Screws	**************************************	
KIN.1228	Bottom case dividers	2 Bottom dividers for the case		
KIN.1236	PTS Lower Panel	Lower PTS panel with pockets		
KIN.1235	PTS Upper Panel	Upper PTS panel with pockets		