

PRODUCT DATA SHEET



GT Line Professional Trolley GT 48-25 PTS

EAN 8024482191645

High-strength professional trolley



The latest-generation professional trolley GT 48-25 is the choice of professionals working in demanding environments who require efficient internal organisation.

This tool trolley is water-resistant, providing complete protection against water, dust, humidity, and corrosive agents.

Features

1. Protection against water, humidity, sand and dust.
2. Resistance to impacts, crushing, and chemical agents.
High-strength polypropylene and reinforced structure guarantee maximum protection against impacts, high pressures, and corrosive substances, ideal for intensive field use.
3. Functional organization with FLEXI POUCHES™ panels.
The two tool panels with FLEXI POUCHES™ pockets allow efficient arrangement of tools of various sizes, improving accessibility and order during use.
4. Customizable and stable internal configuration.
The base is equipped with high-stability modular dividers that allow adapting the internal space of the tool case according to the operational needs of the professional.
5. Easy transport on any surface.
The presence of durable wheels and a telescopic handle, together with an ergonomically rubber-coated handle, facilitates movement even over long distances or rough terrain.
6. Security and robustness in the details.
Zippers with anti-corrosion pins and steel reinforcements at padlock points protect the tool case from unauthorized access and prolonged wear.
7. Documentation management always within reach.
The internal document pocket and external nameplate allow orderly and professional management of manuals, checklists, and identification data.



8. Stackable design for efficient logistics.

The professional case structure is optimized for stacking, making it ideal also for transport and storage in industrial environments or equipped vehicles.

Internal measurements*					
	A	B	C	D	E
	480 mm 18.90 in	370 mm 14.57 in	255 mm 10.04 in	50 mm 1.97 in	205 mm 8.07 in

+/-1,5% from nominal measurements

External measurements*	
Length	520 mm 20.47 in
Depth	440 mm 17.32 in
Height	277 mm 10.91 in

Weight	
	9,09 Kg 20.04 lbs

Load capacity	
	35 Kg 77.16 lbs



Color	
	Black




Specifications	
Wheels	SI - Ruote presenti
Colour	Black
Handles	Ergonomic handle with rubber grip 1 Telescopic handle
Linkages	Gas pressurised lid supports
Panels	2 tool panels with FLEXI POUCHES™ pockets
Document holder	1 document pocket
Tag	1 Name plate
Base	Base with high-stability modular dividers
Hinges	Corrosion proof metal hinges with lid stay features
Stackable	Yes
Material	POLIPROPILENE
Dimensional tolerance	+/-1,5% from nominal measurements
Solutions	With wheels
Series	GT 48-25










Accessories

WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
EXPL TSA.DIGILOCK	EXPL TSA.DIGILOCK - TSA approved padlock	TSA-approved padlock with 4-digit combination	
EXPL.COMBILOCK	EXPL COMBILOCK - Combination padlock	Patented padlock with 3-digit combination	






EXPL.PADLOCK	EXPL PADLOCK - Lock with keys	Patented padlock with keys	
--------------	-------------------------------	----------------------------	---



Ricambi			
KIN.1283	Black/Grey lock	Single replacement latch (grey/black) with mounting pin	
KIN.0496	Name plate	Removable name tag plate	
KIN.1382	Handle	Ergonomic rubber-coated handle 4 Mounting pins	
KIN.1506	Strip for twist lock	Rubber strip with mounting parts	
KIN.1505	A pair of lid supports	Set of 2 replacement brackets for gas springs	
KIN.1504	Lid panel	Replacement lid panel with 4 mounting screws	
KIN.1503	Replacement telescopic handle	1 replacement handle with 9 mounting screws	



KIN.1502	Set of lower dividers	Set of 3 lower dividers	
KIN.1499	Upper tool panel PTS version	Upper tool panel with FLEXI POUCHES™ pockets	
KIN.1498	Lower tool panel PTS version	Lower tool panel with FLEXI POUCHES™ pockets	
KIN.1495	Spare wheel set	2 replacement wheels with axle	