

PRODUCT DATA SHEET



GT Line Professional Trolley GT 53-26 PEL

EAN 8024482180809

Professional trolley: great organization and capacity in a very sturdy container



The GT 53-26 PEL professional trolley is a durable and highly capacious professional container. Made of sturdy polypropylene, this trolley offers complete protection even in the most demanding applications.

Features

Protection against splashes of water, dust, and external agents.

The trolley protects instruments even in humid, sandy, or contaminated environments.

2. Ultra-rugged construction for extreme conditions.

Made of high-thickness polypropylene with corrosion-resistant hinge pins and steel-reinforced padlock zones, it withstands impacts, crushing, and corrosive substances. Operates reliably from -33°C to +90°C.

3. Optimal capacity for bulky equipment.

The thermoformed base with adjustable dividers ensures efficient organization of large or irregularly shaped tools.

4. Smart, customizable internal layout.

Equipped with two tool panels with elastic loops and a double-sided elastic panel in the lid, it offers a neat, modular setup for every tool and accessory.

5. Maximum mobility, even during air travel.

Integrated wheels and a telescopic handle make this tool case ideal for professionals on the move, including frequent flyers.

6. Ergonomics and user comfort.

The rubber-coated handle provides a secure and comfortable grip, reducing fatigue during extended transport.

7. Reliable identification and traceability.

The built-in name tag holder and internal document pocket ensure quick ID and organized management of labels and documents.



8. Stackable and space-saving.

The stackable design simplifies storage in workshops, warehouses, or service vehicles—maximizing space without compromising accessibility.


Internal measurements*					
	A	B	C	D	E
	538 mm 21.18 in	405 mm 15.94 in	250 mm 9.84 in	60 mm 2.36 in	190 mm 7.48 in

+/-1,5% from nominal measurements

External measurements*	
Length	627 mm 24.69 in
Depth	474,5 mm 18.68 in
Height	292 mm 11.50 in

Weight	
	9,12 Kg 20.11 lbs

Load capacity	
	35 Kg 77.16 lbs




Color	
	Black



Specifications	
Wheels	2 self-lubricating wheels
Colour	Black
Handles	1 Ergonomic handle with rubber coating 1 Telescopic handle
Linkages	Gas pressurised lid supports
Panels	1 tool panel with elastic bands on two sides 2 tool panels with elastic bands on one side
Document holder	1 document pocket
Locks	Lever-release locks. Padlock provision and steel reinforcements at the fastening points
Tag	1 Name plate
Base	Base with removable and adjustable dividers
Hinges	Corrosion proof metal hinges with lid stay features
Stackable	Yes
Material	POLIPROPILENE
Dimensional tolerance	+/-1,5% from nominal measurements
Solutions	With wheels
Series	GT 53-26



Accessories			
WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
EXPL.PADLOCK	EXPL PADLOCK - Lock with keys	Patented padlock with keys	
EXPL TSA.DIGILOCK	EXPL TSA.DIGILOCK - TSA approved padlock	TSA-approved padlock with 4-digit combination	



EXPL.COMBILOCK	EXPL COMBILOCK - Combination padlock	Patented padlock with 3-digit combination	
----------------	---	--	---



Ricambi			
KIN.1237	Arm	1 Gas strut (80N resistance)	
KIN.1279	Dividers	Divider kit for case bottom: 2 vertical dividers 2 horizontal dividers	
KIN.1302	Document holder (gas spring version)	Document holder panel (gas spring version)	
KIN.1272	PEL bottom panel	Lower PEL panel with elastic bands on one side	
KIN.1274	PEL top panel	Upper PEL panel with elastic bands on both sides	
KIN.0925	O-ring	Polyurethane gasket for top cover	
KIN.0526	Feet kit	2 Black support feet 2 Mounting pins 2 Metal washers 2 Retaining rings (Seeger)	



KIN.0412	Black side handle (short, old version)	1 Handle 2 Pins	
KIN.0542	Handle	Ergonomic rubber-coated handle	
KIN.0522	Wheel kit	2 Self-lubricating wheels 4 Metal washers 2 Retaining rings (Seeger) 2 Mounting pins	
KIN.0930	Telescopic handle	1 Black retractable handle 1 Black protective cover 2 Self-lubricating wheels 1 Metal spring 1 Locking/unlocking lever 1 Closure cap 4 Mounting pins 2 Wheel support feet 4 Base support feet 4 Retaining rings (Seeger) 12 Mounting screws	
KIN.0496	Name plate	Removable name tag plate	
KIN.0495	Pressurization valve	1 Manual pressure valve with screw and O-ring	 KIN.0495
KIN.0446	Lock	1 Lock 2 Mounting pins	 KIN.0446