


PRODUCT DATA SHEET



GT Line Professional Trolley GT 52-21 PTS

EAN 8024482184326

Spacious, water-resistant professional trolley



The GT 52-21 professional trolley is a professional container designed to deliver high performance in harsh conditions. Airtight and water-resistant, it completely protects tools and equipment from moisture, sand, and dust.

Thanks to its large capacity, telescopic handle, and integrated wheels, this tool case is also perfect for air travel and everyday mobile use.

Features

1. Protection from splashes of water and external agents.

Provides protection against splashes of water, humidity, sand and fine dust.

2. Superior resistance for extreme environments.
2. Superior resistance for extreme conditions.

Made of high-thickness polypropylene, with corrosion-resistant hinge pins and steel reinforcements, it offers protection against impacts, crushing, and corrosive agents across a wide temperature range (-33°C to +90°C).

3. Extra-large capacity for bulky tools and gear.

The thermoformed bottom with adjustable dividers enables efficient organization of irregular or oversized equipment.

4. Professional, customizable organization.

Equipped with 2 elastic tool panels and a document pouch, this case keeps tools and documents neatly arranged for optimal workflow.

5. Ideal mobility for air travel.

The telescopic handle, durable wheels, and cabin-compatible size make it the perfect tool case for frequent flyers.

6. Advanced security and fast identification.


A new lever-lock system, removable name tag holder, and optional shipping label slot ensure safety and



traceability during transport.

7. Stability and ease of use on the field.

Gas-pressurized lid stays hold the lid open for hands-free access, even in complex operational environments.

Internal measurements*					
	A	B	C	D	E
	521,8 mm 20.54 in	284,3 mm 11.19 in	205 mm 8.07 in	55 mm 2.17 in	150 mm 5.91 in

+/-1,5% from nominal measurements

External measurements*	
Length	550 mm 21.65 in
Depth	351 mm 13.82 in
Height	225 mm 8.86 in

Weight	
	6,84 Kg 15.08 lbs

Load capacity	
	30 Kg 66.14 lbs



Color	
	Black



Specifications	
Wheels	Self-lubricating wheels
Colour	Black
Handles	1 Ergonomic handle with rubber coating 1 Telescopic handle
Linkages	Gas pressurised lid supports
Panels	1 tool panel with FLEXI POUCHES™ pockets on both sides 1 tool panel with FLEXI POUCHES™ pockets on one side
Document holder	1 document pocket
Locks	Lever-release locks. Padlock provision
Tag	1 Name plate
Base	Base with removable and adjustable dividers
Stackable	Yes
Dimensional tolerance	+/-1,5% from nominal measurements
Solutions	With wheels
Series	GT 52-21




Accessories

WL01	Small Parts Box WL01	Small parts box with 6 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL02	Small Parts Box WL02	Small parts box with 13 compartments in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL03	Small Parts Box WL03	Empty small parts box in PP External dimensions: 163x120x30 mm Weight: 0.08 kg	
WL04	Small Parts Box WL04	Small parts box with 10 compartments in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
WL05	Small Parts Box WL05	Empty small parts box in PP External dimensions: 245x130x30 mm Weight: 0.15 kg	
EXPL TSA.DIGILOCK	EXPL TSA.DIGILOCK - TSA approved padlock	TSA-approved padlock with 4-digit combination	
EXPL.COMBILOCK	EXPL COMBILOCK - Combination padlock	Patented padlock with 3-digit combination	



EXPL.PADLOCK	EXPL PADLOCK - Lock with keys	Patented padlock with keys	
--------------	-------------------------------	----------------------------	---



Ricambi			
KIN.1270	Gas strut	Gas strut for lid support	
KIN.1271	Dividers	Divider kit for case bottom: 2 vertical dividers 1 horizontal divider	
KIN.1266	PTS Upper Panel	Upper PTS panel with FLEXI POUCHES™ pockets on one side	
KIN.1267	PTS bottom panel	Lower PTS panel with FLEXI POUCHES™ pockets on both sides	
KIN.1216	Wheel kit	2 Wheels with ball bearings 2 Self-locking nuts 1 Axle rod	
KIN.1224	Name plate	1 Name tag plate in polycarbonate	
KIN.1209	Lock	Lock with release lever 1 Mounting pin	 KIN.1209



KIN.1202	Telescopic handle	1 Black handle 10 Mounting screws	
KIN.1201	O-ring	Polyurethane gasket for top cover	 KIN.1201
KIN.1205	Handle	Rubber-coated handle 2 Mounting pins	 KIN.1205