

# PRODUCT DATA SHEET



## GT Line Professional Trolley MUB78

EAN 8024482016146

### Maximum capacity and ease of storage



The MUB78 professional models are multifunctional technical containers ideal for professionals working outdoors and in extreme conditions.

Made of injection-molded polypropylene, they combine lightness and durability with exceptional load capacity. MUB containers are stackable, lightweight, and equipped with ergonomic handles and wheels for easy transport, even on construction sites, in marine environments, and in outdoor settings.

#### Features

1. Total resistance in any environment.

The high-resistance polypropylene structure, combined with waterproof design, ensures complete protection against impacts, rain, dust, and chemicals, making it the ideal professional case for outdoor use.

2. Large load capacity for every need.

With generous internal dimensions (780 x 410 x 330 mm), the MUB78 provides versatile space to organize and transport tools, technical equipment, and even large materials.

3. Optimal mobility with trolley configuration.

Equipped with sturdy wheels and a retractable handle, the MUB78 tool case is easy to transport even over rough terrain, without compromising on stability and control.

4. Easy and secure transport.

Ergonomic side handles allow two-person transport, while the front handle enables solo handling, always ensuring a firm and comfortable grip.

5. Extra security for your tools.

Integrated padlock-ready slots help protect the contents of the toolbox from unauthorized access—ideal for shared workspaces or frequent transport.

6. Stackable and space-saving for efficient logistics.

The compact structure and reinforced ribs on the lid make the MUB78 easy to stack, ensuring stability during storage and transport.




7. Reliable in any climate condition.

Designed to withstand extreme temperatures, both high and low, this professional tool case keeps your gear intact even in harsh climates or during long hauls.

8. Customizable empty container.

The empty internal layout offers maximum flexibility for inserting tailored accessories or protective foam, adapting to the needs of any industry.

| Internal measurements*                                                            |                    |                    |                    |                  |                    |
|-----------------------------------------------------------------------------------|--------------------|--------------------|--------------------|------------------|--------------------|
|  | A                  | B                  | C                  | D                | E                  |
|                                                                                   | 780 mm<br>30.71 in | 410 mm<br>16.14 in | 330 mm<br>12.99 in | 50 mm<br>1.97 in | 280 mm<br>11.02 in |

+/-1,5% from nominal measurements

| External measurements* |                    |
|------------------------|--------------------|
| Length                 | 806 mm<br>31.73 in |
| Depth                  | 467 mm<br>18.39 in |
| Height                 | 349 mm<br>13.74 in |

| Weight                                                                              |                      |
|-------------------------------------------------------------------------------------|----------------------|
|  | 6,52 Kg<br>14.37 lbs |

| Load capacity |                     |
|---------------|---------------------|
|               | 50 Kg<br>110.23 lbs |



| Color                                                                                 |       |
|---------------------------------------------------------------------------------------|-------|
|  | Black |



| Specifications        |                                               |
|-----------------------|-----------------------------------------------|
| Colour                | Black                                         |
| Wheels                | Ruote robuste                                 |
| Handles               | 1 Ergonomic side handle<br>1 Front handle bar |
| Locks                 | Padlock provision                             |
| Tag                   | 1 Name plate                                  |
| Stackable             | Yes                                           |
| Dimensional tolerance | +/-1,5% from nominal measurements             |
| Solutions             | With wheels                                   |
| Series                | Mub                                           |
| Material              | POLIPROPILENE                                 |



| <b>Accessories</b> |                                      |                                                                                                     |                                                                                       |
|--------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WL01               | Small Parts Box WL01                 | Small parts box with 6 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg  |    |
| WL02               | Small Parts Box WL02                 | Small parts box with 13 compartments in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg |    |
| WL03               | Small Parts Box WL03                 | Empty small parts box in PP<br>External dimensions: 163x120x30 mm<br>Weight: 0.08 kg                |    |
| WL04               | Small Parts Box WL04                 | Small parts box with 10 compartments in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg |  |
| WL05               | Small Parts Box WL05                 | Empty small parts box in PP<br>External dimensions: 245x130x30 mm<br>Weight: 0.15 kg                |  |
| EXPL.PADLOCK       | EXPL PADLOCK - Lock with keys        | Patented padlock with keys                                                                          |  |
| EXPL.COMBILOCK     | EXPL COMBILOCK - Combination padlock | Patented padlock with 3-digit combination                                                           |  |



|                      |                                             |                                                                                                  |                                                                                     |
|----------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| EXPL<br>TSA.DIGILOCK | EXPL TSA.DIGILOCK -<br>TSA approved padlock | TSA-approved padlock with 4-digit<br>combination                                                 |  |
| KIT TRAY MUB         | Tray kit MUB                                | Tray for MUB78 with removable<br>dividers.<br>The MUB78 can accommodate up<br>to 2 MUB Kit Trays |  |
| FOAM.MUB78           | Foam MUB78                                  | Pre-cubed foam for the bottom<br>and convoluted foam for the lid                                 |  |

| Ricambi  |             |                                                      |                                                                                       |
|----------|-------------|------------------------------------------------------|---------------------------------------------------------------------------------------|
| KIN.0948 | Lock        | 1 Lock<br>1 Pin                                      |  |
| KIN.0810 | Wheels      | 2 Wheels<br>2 Pins                                   |  |
| KIN.0425 | Handle      | 1 Handle<br>2 Pins                                   |  |
| KIN.0415 | Side handle | 1 Side handle for trolley use<br>2 Springs<br>2 Pins |  |