## WATERPROOF GT 58-23

Waterproof polypropylene tool trolley







## **General features**


- waterproof and airtight
- interstackable
- corrosionproof, sandproof and dustproof
- shockproof and crushproof
- temperature rating -33°C/+90°C
- ergonomic handle, rubber coated grip
- jam free latches with user-friendly opening mechanism
- corrosion proof metal hinges with lid stay features
- pressure release valve
- special PU injected seal
- stainless steel reinforced pad lockable points providing maximum security

## **Internal Configuration**

- document wallet in the lid
- 1 tool pallet with large elastic bands on both sides
- 1 tool pallet with FLEXI POUCHES™ on both sides
- bottom with layers of pre cubed foam
- 1 padlock with key included
- ergonomic central handle
- 2 side handles for two people carriage
- trolley with quick & safe lock/unlock telescopic handle
- padlockable in several points providing maximum security
- corrosion proof metal reinforced hinges
- positive stacking location

## Versions

WATERPROOF GT 42-09 PEL WATERPROOF GT 42-09 PTS WATERPROOF GT 42-16 PEL WATERPROOF GT 42-16 PTS WATERPROOF GT 44-19 PES WATERPROOF GT 44-19 PTS WATERPROOF GT 52-21 PEL WATERPROOF GT 52-21 PSS WATERPROOF GT 52-21 PTS WATERPROOF GT 53-26 PEL WATERPROOF GT 53-26 PTS WATERPROOF GT 53-26 PTS



Copyright © 2024 - GT Line srl - Via del Lavoro, 9 - 40053 Loc. Crespellano Valsamoggia (Bologna) - Italy - Phone +39/051/65041 - Fax +39/051/734925 sales@gtline.com - www.gtline.com

This is an UNCONTROLLED DOCUMENT printed on 05/05/2024 for reference only / Page 1/3





Watertight and perfectly sealed thanks to the exclusive neoprene "O" ring and to the purge valve, these cases grant an absolute protection to your tools. Made of resistant lightweight resin, they are provided with strong locks and a useful and ergonomic handle. They are ideal for use in the harshest environment, such as industrial, aeronautical, military and nautical fields.







KIN.0542

KIN.0933

KIN.0446

KIN.0446



KIN.0496





KIN.0412

KIN.0412



KIN.0522

KIN.0934

KIN.0526



KIN.0550